

# HRSN Clinical Risk Factors: Code Crosswalk

## HRSN Clinical Risk Factor code crosswalk

- Diagnostic, procedure, place of service, and revenue codes are aligned with each HRSN Clinical Risk Factor category.
  - This is not an inclusive list of all relevant codes.
  - ICD-10 diagnostic codes must be documented as part of HRSN eligibility determination.
  - All codes listed may be used to support outreach to potentially eligible members and for good faith verification of self-attestation.
  - HRSN Climate Device Clinical Risk Factors are in the blue table.
  - HRSN Housing, Nutrition, and Outreach & Engagement Clinical Risk Factors are in the green table.
- O&E: Outreach and Engagement services

## HRSN Clinical Risk Criteria:

- This list is not inclusive of all clinically appropriate conditions for HRSN Services.
  - For HRSN climate devices, additional medical conditions and categories of conditions not listed may meet clinical risk criteria eligibility if determined by individual medical review that an HRSN climate device contributes to the treatment or prevention of sequela. For example, certain acid/base, electrolyte, or fluid disorders, cancers, autoimmune disorders, and conditions not listed that cause disability.
  - For HRSN Housing, Nutrition, and Outreach and Engagement Services, both acute and chronic complex behavioral health and physical health conditions that are persistent, disabling, progressive, or life-threatening, and require treatment for stabilization or prevention of an exacerbation should be considered. This includes acute and chronic conditions that impact ability to pay for housing, food, require care coordination or connection to services. Conditions not listed in each Housing, Nutrition, and Outreach & Engagement clinical risk category should be considered by individual medical review. For example, conditions not listed that cause disability.
- The HRSN clinical risk criteria determining HRSN eligibility should be the most specific diagnosis code appropriate for the individual.
- The ICD-10 code must be at its highest level of specificity, e.g. two decimal points.
- There is no funding line or pairing for HRSN clinical risk criteria.
- Z-codes may be the most appropriate diagnosis code when there is no self-attestation, claims data, or clinical report of a specific medical condition. Z codes may be used as the primary and single diagnosis code.

HRSN Climate-Device Clinical Risk Factors	Parent Code	Eligible Climate Device(s)
Schizophrenia spectrum and other psychotic disorders	<u>ICD-10 codes:</u> F20.*- F29.*: Schizophrenia, schizotypal, delusional, and other non-mood psychotic disorders	
Bipolar and related disorders	<u>ICD-10 codes:</u> F30.*: Manic episode F31.* : Bipolar disorder F34.0: Cyclothymic d/o	
Major depressive disorder with an acute care need in the past 12 months including a suicide attempt, crisis services utilization (emergency department, mobile crisis team, etc.), acute psychiatric hospitalization, or residential treatment	<u>ICD-10 codes:</u> F32.*: Depressive episode F33: Major depressive disorder F34.1: Dysthymic disorder F34.81: Disruptive mood dysregulation disorder F34.89 and F34.9: Other and unspecified persistent mood [affective] disorder F39: unspecified mood [affective] disorder  <b>- AND -</b> <u>ICD-10 codes:</u> T14.91*: Suicide attempt T36.*-T50.*: Poisoning code range X71.* – 83.*: Intentional self-harm R45.851: Suicidal ideations  <u>Place of Service codes:</u> 15: Mobile unit 20: Urgent care facility 21: Inpatient hospital 23: Emergency room: hospital 41: Ambulance - land 42: Ambulance – air, water 51: Inpatient psychiatric facility 52: Psychiatric facility - partial hospitalization 56: Psychiatric Residential Treatment Center  <u>Procedure codes:</u> 90839, 90840: Psychotherapy for crisis 99281-99285: Emergency department services E/M codes 99221-99223 and 99231-99239: Hospital inpatient and observation E/M codes G0017 – G0018: Crisis psychotherapy H0017: Behavioral health hospital residential treatment program H0018: Short-term behavioral health residential treatment program H0019: Long-term behavioral health residential treatment program H2011: Crisis intervention service H2013: Psychiatric health facility T2033: Residential care not otherwise specified  <u>Revenue codes:</u> 110: Room and board private, general 111: Room and board private, medical/surgical/gyn 114: Room and board private, psychiatric 120: Room and board semi-private, general 121: Room and board semi-private, medical/surgical/gyn	Air Conditioner, Air Filtration Device, Heater

	<p>124: Room and board semi-private, psychiatric  130: Room and board 3 &amp; 4 beds, general  131: Room and board 3 &amp; 4 beds, medical/surgical/gyn  134: Room and board 3 &amp; 4 beds, psychiatric  140: Room and board deluxe private, general  141: Room and board deluxe private, medical/surgical/gyn  144: Room and board deluxe private, psychiatric  150: Room and board ward, general  151: Room and board ward, medical/surgical/gyn  154: Room and board ward, psychiatric  19X: Subacute care  20X: Intensive care unit  45X: Emergency room and urgent care  516: Urgent care clinic  526: Freestanding urgent care clinic  54X: Ambulance  68X: Trauma response  1001: Behavioral health accommodations – residential treatment, psychiatric</p>
<p>One or more of the following substance use disorders: alcohol use disorder, hallucinogen use disorders, inhalant use disorder, opioid use disorder, stimulant use disorder</p>	<p><u>ICD-10 codes:</u>  F10.*: Alcohol related disorders  F11.*: Opioid related disorders  F14.*: Cocaine related disorders  F15.*: Other stimulant related disorders  F16.*: Hallucinogen related disorders  F18.*: Inhalant related disorders  <i>F13.*: sedative, hypnotic, or anxiolytic related disorder: consider approval by medical exception if no other qualifying diagnosis</i></p> <p><u>Procedure codes:</u>  G2067 - G2080: Medication assisted treatment  G2086 – G2088: Office based treatment for OUD</p> <p><u>Place of Service Code</u>  55: Residential substance use disorder treatment facility  57: Non-residential substance use disorder treatment facility  58: Non-residential opioid use disorder treatment facility</p> <p><u>Revenue codes:</u>  116: Room and board private, detoxification  126: Room and board semi-private, detoxification  136: Room and board 3 and 4 beds, detoxification  146: Room and board deluxe private, detoxification  1002: Behavioral health accommodations – residential treatment, chemical dependency</p>
<p>Major neurocognitive disorders</p>	<p><u>ICD-10 codes:</u>  F01.*: Vascular dementia  F02.*: Dementia in other diseases classified elsewhere  F03.*: Unspecified dementia  F04.*: Amnestic disorder due to known physiological condition  G10: Huntington’s disease  G30.*: Alzheimer’s disease  G31.*: Other degenerative disease of the nervous system, not elsewhere classified</p>

<p>Chronic lower respiratory condition including chronic obstructive pulmonary disease (COPD), asthma requiring regular use of asthma controlling medications, restrictive lung disease, fibrosis, chronic bronchitis, bronchiectasis</p>	<p><u>ICD-10 codes:</u>  J40-J4A: Chronic lower respiratory diseases  J40: Bronchitis, not specified as acute or chronic  J41.0: Simple chronic bronchitis  J41.1: Mucopurulent chronic bronchitis  J41.8: Mixed simple and mucopurulent chronic bronchitis  J42: Unspecified chronic bronchitis  J43.0-J43.9: Emphysema  J44.0: Chronic obstructive pulmonary disease with (acute) lower respiratory infection  J44.1: Chronic obstructive pulmonary disease with (acute) exacerbation  J44.81: Bronchiolitis obliterans and bronchiolitis obliterans syndrome  J44.89: Other specified chronic obstructive pulmonary disease  J44.9: Chronic obstructive pulmonary disease, unspecified  J4A.0 - J4A.9: Chronic lung allograft dysfunction  J45.20-J45.998: Asthma  J47.0-J47.9: Bronchiectasis</p> <p><b>- AND -</b>  Pharmacy codes for asthma controlling medications:  <a href="https://dailymed.nlm.nih.gov/dailymed/">https://dailymed.nlm.nih.gov/dailymed/</a></p>
<p>Chronic cardiovascular disease, including cerebrovascular disease and heart disease</p>	<p><u>ICD-10 codes:</u>  I05.*-I09.*: Chronic rheumatic heart diseases  I10.*-I1A.*: Hypertensive diseases  I10: Essential (primary) hypertension  I10: Essential (primary) hypertension  I11.0: Hypertensive heart disease with heart failure  I11.9: Hypertensive heart disease without heart failure  I12.0: Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease  I12.9: Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease  I13.*: Hypertensive heart and chronic kidney disease  I25.*: Chronic ischemic heart disease  I26.*-I28.*: Pulmonary heart disease and diseases of pulmonary circulation  I30.*-I5A.*: Other forms of heart disease  I60.*-I69.*: Cerebrovascular diseases  I95.*-I99.*: Other and unspecified disorders of the circulatory system</p>
<p>Spinal cord injury</p>	<p><u>ICD-10 codes:</u>  G37.*: Other demyelinating diseases of the central nervous system  G80.*: Cerebral palsy  G81.*: Hemiplegia and hemiparesis  G82.*: Paraplegia (paraparesis) and quadriplegia (quadriparesis)  G83.*: other paralytic  G95.*: Other and unspecified diseases of spinal cord  S14.*: Injury of nerves and spinal cord at neck level  S34.*: Injury of lumbar and sacral spinal cord and nerves at abdomen, lower back and pelvis level</p>
<p>In-home hospice</p>	<p><u>ICD-10 codes:</u>  Z51.5: encounter for palliative care</p> <p><u>Procedure codes:</u>  Q5001: Hospice or home health, in home</p>

	<p>S9126: Hospice care, in home  T2042: Hospice routine home care  T2043: Hospice continuous home care</p> <p><u>Revenue codes:</u>  651, 652: Hospice service, routine and continuous home care</p> <p><u>Combination:</u>  Place of service: home code (12)  <b>– AND –</b>  Hospice related billing or procedure code or rendering service provider, including:  99377 and 99378: Hospice care supervision  G0051: Patients under hospice care in the current reporting month  G2153: In hospice or using hospice services during the measurement period  G9477: Services provided by a care coordinator in the hospice setting  G96XX, G97XX, G98XX: Hospice services related codes  M10XX and M11XX: Hospice services related codes</p>	
<p>Any sensory, physical, intellectual, or developmental disability that increases health risks during extreme climate events</p>	<p><u>ICD-10 codes:</u>  F70 - F79: Intellectual disabilities  F84.*: Pervasive developmental disorders  F88: Other disorders of psychological development  F89: Unspecified disorder of psychological development  G11.*: Hereditary ataxia  G12.*: Spinal muscular atrophy and related syndromes  G23.*: Other degenerative diseases of basal ganglia  G40.*: Epilepsy and recurrent seizures  G71.0*: Muscular dystrophy  G80.* – G83.*: Cerebral palsy and other paralytic syndromes  H54.0X*: Blindness, both eyes  H54.1*: Blindness, one eye, low vision other eye  H54.2x*: Low vision both eyes  H54.3: Unqualified visual loss, both eyes  H54.8: Legal blindness  H90.*: Conductive and sensorineural hearing loss  H91.*: other and unspecified hearing loss  H91.3: Deaf, nonspeaking, not elsewhere classified  Z73.6: Limitation of activities due to disability  Z99.3: Dependence on wheelchair</p>	

<p>Child less than 6 years of age and currently has, has a history of, or is at risk for at least one of the following:</p> <ul style="list-style-type: none"> <li>• Heat stroke or heat exhaustion</li> <li>• Hypothermia, frostbite, or chilblains</li> <li>• Malnutrition</li> <li>• Dehydration or is currently breastfeeding</li> <li>• Child maltreatment as defined by the CDC (<a href="https://www.cdc.gov/violenceprevention/pdf/CM_Surveillance-a.pdf">https://www.cdc.gov/violenceprevention/pdf/CM_Surveillance-a.pdf</a>)</li> <li>• Is a child with a special healthcare need (CYSHCN) as defined by HRSA (<a href="https://mchb.hrsa.gov/programs-impact/focus-areas/children-youth-special-health-care-needs-cyshcn#i">https://mchb.hrsa.gov/programs-impact/focus-areas/children-youth-special-health-care-needs-cyshcn#i</a>)</li> <li>• An acute or chronic respiratory condition</li> <li>• A respiratory or gastrointestinal infectious disease, or becoming febrile with an infectious illness</li> <li>• Low birth weight of &lt;2500 grams</li> </ul>	<p>Age &lt;6yr</p> <p><b>– AND –</b></p> <p>If no more specific diagnosis code, use ICD-10 code: Z59.6: Low income</p> <p>Or, consider other more specific codes in Z55-Z65 code set: Persons with potential health hazards related to socioeconomic and psychosocial circumstances, including:  Z59.5: Extreme poverty  Z62.*: Problems related to upbringing including in welfare custody, childhood maltreatment  Z65.*: Problems related to other psychosocial circumstances</p>
<p>Pregnant and currently has, has a history of, or is at risk for at least one of the following:</p> <ul style="list-style-type: none"> <li>• Heat stroke or heat exhaustion</li> <li>• Hypothermia, frostbite, or chilblains</li> <li>• An acute or chronic respiratory condition</li> <li>• Infection</li> <li>• High-risk pregnancy as defined by the NIH (<a href="https://www.nichd.nih.gov/health/topics/highrisk/conditioninfo">https://www.nichd.nih.gov/health/topics/highrisk/conditioninfo</a>)</li> <li>• History of previous pregnancy, delivery, or birth complication including gestational diabetes, preeclampsia, preterm labor, preterm birth, placental abruption, newborn low birth weight, stillbirth</li> <li>• Abuse or interpersonal violence</li> <li>• Malnutrition</li> <li>• Hyperemesis gravidarum and other causes of dehydration</li> <li>• Maternal low birth weight of &lt;2500 grams</li> <li>• Multiple pregnancy</li> <li>• Mental health condition</li> </ul>	<p><u>ICD-10 codes:</u>  O00.* - O48, O98-O9A: Pregnancy  Z33.*: Pregnant state  Z34.*: Encounter for supervision of normal pregnancy  Z36.*: Encounter for antenatal screening</p> <p><b>– AND –</b></p> <p>If no more specific diagnosis code, use: Z59.6: Low income</p> <p>Or, consider other more specific codes in Z55-Z65 code set: Persons with potential health hazards related to socioeconomic and psychosocial circumstances, including:  Z59.5: Extreme poverty  Z65.*: Problems related to other psychosocial circumstances</p>

<p>Adult 65 years and older and currently has, has a history of, or is at risk for at least one of the following:</p> <ul style="list-style-type: none"> <li>• Heat stroke or heat exhaustion</li> <li>• Hypothermia, frostbite, or chilblains</li> <li>• Malnutrition</li> <li>• Dehydration</li> <li>• Currently taking medications that impact heat tolerance, including for upper respiratory infections, allergies, COPD, muscle spasms, blood pressure, diuresis, diarrhea, constipation, anti-inflammation, mental health conditions, and sleep</li> <li>• Abuse or neglect</li> <li>• A respiratory or gastrointestinal infectious disease, or becoming febrile with an infectious illness</li> <li>• Mental health condition</li> <li>• Two or more chronic health conditions</li> </ul>	<p>Age ≥65yrs</p> <p><b>– AND –</b></p> <p>If no more specific diagnosis code, use <u>ICD-10 code</u>: Z59.6: Low income</p> <p>Or, consider other more specific codes in Z55-Z65 code set: Persons with potential health hazards related to socioeconomic and psychosocial circumstances, including:  Z59.5: Extreme poverty  Z65.*: Problems related to other psychosocial circumstances</p>	
<b>HRSN <u>Climate-Device</u> Clinical Risk Factors</b>	<b>Parent Code</b>	<b>Eligible Climate Device(s)</b>
<p>Chronic kidney disease</p>	<p><u>ICD-10 codes:</u>  D63.1: Anemia in chronic kidney disease  I12.*: Hypertensive chronic kidney disease  I13.*: Hypertensive heart and chronic kidney disease  N18.*: Chronic kidney disease</p> <p><u>Procedure codes for lab test indicative of chronic kidney disease:</u>  0355U: APOL1 (apolipoprotein L1) (eg, chronic kidney disease), risk variants (G1, G2)  0407U: Nephrology (diabetic chronic kidney disease [CKD]), multiplex electrochemiluminescent immunoassay (ECLIA) of soluble tumor necrosis factor receptor 1 (sTNFR1), soluble tumor necrosis receptor 2 (sTNFR2), and kidney injury molecule 1 (KIM-1) combined with clinical data, plasma, algorithm reported as risk for progressive decline in kidney function</p>	<p>Air Conditioner, Heater</p>
<p>Diabetes mellitus, requiring any medication, oral or insulin</p>	<p><u>ICD-10 codes:</u>  E08.* Diabetes mellitus due to underlying condition  E09.* Drug or chemical induced diabetes mellitus  E10.* Type 1 Diabetes mellitus  E11.* Type 2 Diabetes mellitus  E13.* Other specified Diabetes mellitus  O24.* Diabetes mellitus in pregnancy, childbirth, and puerperium</p> <p>HCPCS and NDC codes for insulin, insulin pumps, glucose monitors, <a href="https://dailymed.nlm.nih.gov/dailymed/">https://dailymed.nlm.nih.gov/dailymed/</a></p>	
<p>Multiple sclerosis</p>	<p><u>ICD-10 code:</u>  G35: Multiple sclerosis</p>	
<p>Parkinson's disease</p>	<p><u>ICD-10 code:</u>  G20.*: Parkinson's disease</p>	

<p>Previous heat-related or cold-related illness requiring urgent or acute care, e.g. emergency room and urgent care visits</p>	<p><u>ICD-10 codes:</u>  T67.01*: Heatstroke and sunstroke  T67.1XX*: Heat syncope  T67.2XX*: Heat cramp  T67.3XX*: Heat exhaustion  T67.4XX*: Heat exhaustion due to salt depletion  T67.5XX*: Heat exhaustion, unspecified  T67. 6XX*: Heat fatigue, transient  T67.7XX*: Heat edema  T68.XXX*: Hypothermia  X30.XXX*: Exposure to excessive natural heat</p> <p><b>– AND –</b></p> <p><u>Procedure codes:</u>  99281-99285: Emergency department services E/M codes  99221-99223 and 99231-99239: Hospital inpatient and observation E/M codes</p> <p><u>Place of Service codes:</u>  20: Urgent care facility  21: Inpatient hospital  23: Emergency room: hospital  41: Ambulance - land  42: Ambulance – air, water</p> <p><u>Revenue codes, if paired with heat or cold-related illness admitting or discharge diagnosis:</u>  110: Room and board private, general  111: Room and board private, medical/surgical/gyn  120: Room and board semi-private, general  121: Room and board semi-private, medical/surgical/gyn  130: Room and board 3 &amp; 4 beds, general  131: Room and board 3 &amp; 4 beds, medical/surgical/gyn  140: Room and board deluxe private, general  141: Room and board deluxe private, medical/surgical/gyn  150: Room and board ward, general  151: Room and board ward, medical/surgical/gyn  20X: Intensive care unit  45X: Emergency room and urgent care  516: Urgent care clinic  526: Freestanding urgent care clinic  54X: Ambulance  68X: Trauma response</p>	
<p><b>HRSN Climate-Device Clinical Risk Factors</b></p>	<p><b>Parent Code</b></p>	<p><b>Eligible Climate Device</b></p>
<p>Individual requires home oxygen use: home oxygen, oxygen concentrators, home ventilator</p>	<p>See separate DME code list related to oxygen delivery systems including concentrators, humidifiers, nebulizers, and ventilators</p>	<p>Air filtration device</p>
<p><b>HRSN Climate-Device Clinical Risk Factors</b></p>	<p><b>Parent Code</b></p>	<p><b>Eligible Climate Device</b></p>



Individual uses medications requiring refrigeration.	<a href="https://dailymed.nlm.nih.gov/dailymed/">https://dailymed.nlm.nih.gov/dailymed/</a> <ul style="list-style-type: none"> <li>• Search for human drugs that require refrigeration for storage and handling</li> <li>• Examples include medications for diabetes mellitus, glaucoma, and asthma; TNF inhibitors</li> </ul>	Mini-refrigerator
Enteral and parenteral nutrition	<u>Procedure codes:</u> B4034 - B9999	
<b>HRSN Climate-Device Clinical Risk Factors</b>	<b>Parent Code</b>	<b>Eligible Climate Device</b>
Individual needs durable medical equipment (DME) requiring electricity for use. Examples include but are not limited to: <ul style="list-style-type: none"> <li>• Oxygen delivery systems, including concentrators, humidifiers, nebulizers, and ventilators</li> <li>• Intermittent positive pressure breathing machines</li> <li>• Cardiac devices</li> <li>• In home dialysis and automated peritoneal dialysis</li> <li>• Feeding Pumps</li> <li>• IV infusions</li> <li>• Suction pumps</li> <li>• Power wheelchair and scooter</li> <li>• Lift systems and electric beds</li> <li>• Breast pumps for first 6mo post-partum</li> <li>• Other DME medically required for sustaining life</li> </ul>	See separate DME code list	Portable Power Supply
Individual requires assistive technologies requiring electricity necessary for communication or ADLs.	<u>Procedure codes:</u> V5268-V5290 These codes include items that may not need electricity due to lack of specificity. Individual review may be necessary.	
<b>HRSN Climate-Device Clinical Risk Factors</b>	<b>Parent Code</b>	<b>Eligible Climate Device</b>
Other conditions approved by individual medical review	***	All devices

**HRSN Housing, Nutrition, and O&E  
Clinical Risk Factors**

**Parent Code**

**Complex Behavioral Health Need**

All behavioral health ICD-10, CPT, and HCPCS codes on covered lines of the OHP Prioritized List of Health Services, as well as place of service and revenue codes that represent a persistent, disabling, progressive or life-threatening mental health condition or substance use disorder that requires treatment or supports, or both treatment and supports, in order to achieve stabilization, prevention of exacerbation, or maintain health goals.

All conditions that impact ability to pay for housing and food, or that require care coordination or connection to services should be considered. A behavioral health condition that is below the funding line may warrant HRSN Services, for example antisocial personality disorder.

Revenue codes:

- 513: Psychiatric clinic
- 90X and 91X: Behavioral health treatments/services
- 944: Drug rehabilitation therapeutic services
- 945: Alcohol rehabilitation therapeutic services
- 953: Drug and alcohol therapeutic services
- 961: Psychiatric professional fees

Place of Service codes:

- 51: Inpatient psychiatric facility
- 52: Psychiatric facility - partial hospitalization
- 53: Community mental health center
- 55: Residential substance use disorder treatment facility
- 56: Psychiatric Residential Treatment Center
- 57: Non-residential substance use disorder treatment facility
- 58: Non-residential opioid use disorder treatment facility

Procedure codes:

- 90785: interactive complexity for psychiatry services
- 90791 – 90792: Psychiatric diagnostic evaluation services
- 90832 – 90853: Psychotherapy codes
- 90867 – 90869: TMS
- 90870: ECT
- G0017 – G0018: Crisis psychotherapy
- G2067 - G2080: Medication assisted treatment
- G2086 – G2088: Office based treatment for OUD
- H0017: Behavioral health hospital residential treatment program
- H0018: Short-term behavioral health residential treatment program
- H0019: Long-term behavioral health residential treatment program
- H2011: Crisis intervention service
- H2013: Psychiatric health facility

Revenue codes:

- 114: Room and board private, psychiatric
- 116: Room and board private, detoxification
- 124: Room and board semi-private, psychiatric
- 126: Room and board semi-private, detoxification
- 134: Room and board 3 & 4 beds, psychiatric
- 136: Room and board 3 and 4 beds, detoxification
- 144: Room and board deluxe private, psychiatric
- 146: Room and board deluxe private, detoxification
- 154: Room and board ward, psychiatric
- 204: Intensive care unit, psychiatric

	<p>1001: Behavioral health accommodations – residential treatment, psychiatric  1002: Behavioral health accommodations – residential treatment, chemical dependency</p>
Complex Physical and Oral Health Need	<p>All physical and oral health ICD-10, CPT, and HCPCS codes on covered lines of the OHP Prioritized List of Health Services, as well as place of service and revenue codes that represent acute and chronic conditions that are persistent, disabling, progressive, or life-threatening, and require treatment for stabilization or prevention of an exacerbation.</p> <p>All conditions that impact ability to pay for housing and food, or that require care coordination or connection to services should be considered. Some physical and oral health conditions that are below the funding line may warrant HRSN services, for example self-limiting viral encephalitis, myelitis, or encephalomyelitis, aseptic meningitis, and sprains.</p> <p><u>Place of Service codes:</u>  21: Inpatient hospital  41: Ambulance - land  42: Ambulance – air, water</p> <p><u>Procedure codes:</u>  99281-99285: Emergency department services E/M codes  99221-99223 and 99231-99239: Hospital inpatient and observation E/M codes</p> <p><u>Revenue codes:</u>  110: Room and board private, general  111: Room and board private, medical/surgical/gyn  120: Room and board semi-private, general  121: Room and board semi-private, medical/surgical/gyn  130: Room and board 3 &amp; 4 beds, general  131: Room and board 3 &amp; 4 beds, medical/surgical/gyn  140: Room and board deluxe private, general  141: Room and board deluxe private, medical/surgical/gyn  150: Room and board ward, general  151: Room and board ward, medical/surgical/gyn  20X: Intensive care unit  54X: Ambulance  68X: Trauma response</p>
Developmental Disability Need	<p><u>ICD-10 codes:</u>  Z73.6: Limitation of activities due to disability  F70 - F79: Intellectual disability  F84.*: Pervasive developmental disorders  F88: Other disorders of psychological development  F89: Unspecified disorder of psychological development</p>
Needs Assistance with ADLs/IADLs or Eligible for LTSS	<p>All ICD-10, CPT, and HCPCS codes that represent or result in an individual requiring assistance with Activities of Daily Living (ADLs) and Instrumental Activities of Daily Living (iADLs), or that would qualify an individual for Long Term Care Services and Supports (LTSS).</p> <p>Examples likely include:  F01.*: Vascular dementia  F02.*: Dementia in other diseases classified elsewhere  F03.*: Unspecified dementia  F04.*: Amnesic disorder due to known physiological condition  F70 - F79: Intellectual disabilities</p>

	<p>F84.*: Pervasive developmental disorders  F88: Other disorders of psychological development  F89: Unspecified disorder of psychological development  G10: Huntington's disease  G11.*: Hereditary ataxia  G12.*: Spinal muscular atrophy and related syndromes  G23.*: Other degenerative diseases of basal ganglia  G30.*: Alzheimer's disease  G31.*: Other degenerative disease of the nervous system, not elsewhere classified  G40.*: Epilepsy and recurrent seizures  G71.0*: Muscular dystrophy  G80.* – G83.*: Cerebral palsy and other paralytic syndromes  H54.0X*: Blindness, both eyes  H54.1*: Blindness, one eye, low vision other eye  H54.2x*: Low vision both eyes  H54.3: Unqualified visual loss, both eyes  H54.8: Legal blindness  H90.*: Conductive and sensorineural hearing loss  H91.*: other and unspecified hearing loss  H91.3: Deaf, nonspeaking, not elsewhere classified  Z60.2: problem related to living alone  Z73.6: Limitation of activities due to disability  Z99.3: Dependence on wheelchair</p>
<p>Interpersonal Violence Experience</p>	<p><u>ICD-10 codes:</u>  O9A.3*: Physical abuse complicating pregnancy, childbirth, and the puerperium  O9A.4*: Sexual abuse complicating pregnancy, childbirth, and the puerperium  O9A.5*: Psychological abuse complicating pregnancy, childbirth and the puerperium  T71.113* - T71.114*, T71.123*-T71.124*, T71.133*-T71.134*, T71.143*-T71.144*, T71.153*-T71.154*, T71.163*-T71.164*, T71.193 – T71.194*, T71.223*-T71.224*, T71.233*-T71.234*,: Asphyxiation due to assault or undetermined  T74.*: Adult and child abuse, neglect, and other maltreatment, confirmed  T76.*: Adult and child abuse, neglect, and other maltreatment, suspected  X92.* - Y09.*: Assault  Z04.4*: Encounter for examination and observation following alleged rape  Z04.7*: Encounter for examination and observation following alleged physical abuse  Z04.8*: Encounter for examination and observation of victim following forced sexual or labor exploitation  Z62.*: Problems related to upbringing  Z65.4: Victim of crime and terrorism  Z69.*: Encounter for mental health services for victim and perpetrator of abuse  Z91.4*: Personal history of psychological trauma</p>
<p>Repeated Emergency Department Use and Crisis Encounters</p>	<p><u>ICD-10 codes:</u>  R45.7: state of emotional shock and stress, unspecified  Z55.* - Z65.*: Persons with potential health hazards related to socioeconomic and psychosocial circumstances</p> <p><u>Procedure codes:</u>  90839, 90840: Psychotherapy for crisis  99281-99285: Emergency department services E/M codes  G0017 – G0018: Crisis psychotherapy  H2011: Crisis intervention service</p> <p><u>Place of Service codes:</u></p>

	<p>15: Mobile unit  20: Urgent care facility  23: Emergency room: hospital  41: Ambulance - land  42: Ambulance – air, water</p> <p><u>Revenue codes:</u>  45X: Emergency room and urgent care  516: Urgent care clinic  526: Freestanding urgent care clinic  54X: Ambulance</p>
<p>Pregnant and 12mo Postpartum, and currently has, has a history of, or is at risk for at least one of the following:</p> <ul style="list-style-type: none"> <li>• Infection</li> <li>• High-risk pregnancy as defined by the NIH  (<a href="https://www.nichd.nih.gov/health/topics/highrisk/conditioninfo">https://www.nichd.nih.gov/health/topics/highrisk/conditioninfo</a>)</li> <li>• Pregnancy-related death</li> <li>• History of previous pregnancy, delivery, or birth complication including gestational diabetes, preeclampsia, hyperemesis gravidarum, preterm labor, preterm birth, placental abruption, newborn low birth weight, stillbirth</li> <li>• Abuse or interpersonal violence</li> <li>• Malnutrition</li> <li>• Maternal low birth weight of &lt;2500 grams</li> <li>• Multiple pregnancy</li> <li>• A mental health condition or substance use disorder, including a postpartum mental health condition</li> <li>• Significant life stress, adversity, or trauma</li> </ul>	<p><u>ICD-10 codes:</u>  O00.* - O9A.*: Pregnancy, childbirth, and the puerperium  Z33.*: Pregnant state  Z34.*: Encounter for supervision of normal pregnancy  Z36.*: Encounter for antenatal screening  Z37.*: Outcome of delivery  Z39.*: Encounter for postpartum care  Z3A.*: Weeks of gestation</p> <p>– AND –</p> <p>If no more specific diagnosis code, use: Z59.6: Low income</p> <p>Or, consider other more specific codes in Z55-Z65 code set: Persons with potential health hazards related to socioeconomic and psychosocial circumstances, including:  Z59.5: Extreme poverty  Z65.*: Problems related to other psychosocial circumstances</p>
<p>Children less than 6 years of age, and currently has, has a history of, or is at risk for at least one of the following:</p> <ul style="list-style-type: none"> <li>• Malnutrition or at risk of developmental or growth delay or impairment as a result of insufficient nutrition</li> <li>• Child maltreatment as defined by the CDC  (<a href="https://www.cdc.gov/violenceprevention/pdf/CM_Surveillancea.pdf">https://www.cdc.gov/violenceprevention/pdf/CM_Surveillancea.pdf</a>)</li> <li>• Is a child with a special healthcare need (CYSHCN) as defined by HRSA  (<a href="https://mchb.hrsa.gov/programs-impact/focusareas/children-youth-special-health-care-needs-cyshcn#i">https://mchb.hrsa.gov/programs-impact/focusareas/children-youth-special-health-care-needs-cyshcn#i</a>)</li> <li>• Low birth weight of &lt;2500 grams</li> <li>• Mental health condition</li> </ul>	<p>Age &lt;6yr</p> <p>– AND –</p> <p>If no more specific diagnosis code, use ICD-10 code: Z59.6: Low income</p> <p>Or, consider other more specific codes in Z55-Z65 code set: Persons with potential health hazards related to socioeconomic and psychosocial circumstances, including:  Z59.5: Extreme poverty  Z62.*: Problems related to upbringing including in welfare custody, childhood maltreatment  Z65.*: Problems related to other psychosocial circumstances</p>

<ul style="list-style-type: none"> <li>• Significant life or family stress, adversity, or trauma</li> </ul>	
<p>Adults 65 years of age or older, and currently has, has a history of, or is at risk for at least one of the following:</p> <ul style="list-style-type: none"> <li>• Two or more chronic health conditions</li> <li>• Social isolation placing the individual at risk for early death, neurocognitive disorders, sleep disruption, cardiovascular disease, and elder abuse</li> <li>• Malnutrition</li> <li>• Dehydration</li> <li>• Abuse or neglect</li> <li>• Significant life adversity stress, adversity, or trauma</li> </ul>	<p>Age ≥65yrs</p> <p>– AND –</p> <p>If no more specific diagnosis code, use <u>ICD-10 code</u>: Z59.6: Low income</p> <p>Or, consider other more specific codes in Z55-Z65 code set: Persons with potential health hazards related to socioeconomic and psychosocial circumstances, including:</p> <p>Z59.5: Extreme poverty  Z65.*: Problems related to other psychosocial circumstances</p>
<p>Young Adults with Special Health Care Needs (YSHCN)</p>	<p>All ICD-10, CPT, and HCPCS codes that represent or result in an individual meeting YSHCN eligibility.  All individuals with YSHCN PERC codes.</p>